

# **DECLARATION OF PERFORMANCE**

## DoP No. 015-02 SiproFix BK 110

Adhesive for ceramic tiles for indoor and outdoor use

1. Name and/or designation of the construction product type:

## SiproFix BK 110

**2.** Type, batch or serial number or some other element that enables identification of the construction product:

## Stamped on the packaging

**3.** Intended use or uses of the construction product in accordance with the appropriate technical specification or technical regulation:

Standard cement adhesive with reduced slip for exterior and interior use.

**4.** Name and address of the manufacturer:

Banja Komerc Bekament DOO, 132 Kralja Petra Prvog Str., 34304 Banja, Aranđelovac, Serbia

- **5.** Name and address of representative: /
- **6.** System or systems of assessment and verification of the constancy of performance of the construction product (AVCP), determined by the corresponding technical specification or technical regulation:

### System 3

**7.** Applied technical regulations:

#### EN 12004:2017

**8.** List of essential characteristics and performance of essential characteristics: Classification according to EN 12004: C1T

Characteristics	Value	Specificatio
		n
Adhesion after conditioning under normal conditions, N/mm <sup>2</sup>	≥ 0,5	EN 12004

Banja Komerc Bekament d.o.o. T +381 34 677 75 00 office.prodaja@bekament.com Kralja Petra Prvog 132, Banja, Aranđelovac/34304 Banja F +381 34 677 75 05 www.bekament.com



Adhesion after conditioning in water, N/mm²	≥ 0,5	EN 12004
Adhesion after conditioning at elevated temperature, N/mm <sup>2</sup>	≥ 0,5	EN 12004
Adhesion after freeze/thaw cycles, N/mm <sup>2</sup>	≥ 0,5	EN 12004
Slipping, mm	≤ 0,5	EN 12004
Fire reaction	Class E	EN 13501-1

9. The initial product type test was carried out by the Technical and Test Institute for Construction, Prague, Czech Republic, NB: 1020 and the Test Report no. 1020-CPR-020-042614, 04.05.2020, was issued Product testing was conducted by the Institute for Materials Testing a.d. in Belgrade and the Test Report was issued under number VHM 1904/19, 10.03.2020.

The characteristics of the product are in accordance with the characteristics specified in point 8.

This performance declaration is published in accordance with the Law on Construction Products (Official Gazette of RS, No. 83 of 29 October 2018) and EU Regulation, CPR 305/2011 and is solely the responsibility of the manufacturer specified in point 4.

Vesna Jovanović, BSc of Technology Eng. Director of development and technical support

In Banja 17.07.2023. Signed

Round official seal: BANJA komerc BEKAMENT DOO V Banja Aranđelovac

