

# DECLARATION OF PERFORMANCE

## DoP No. 015-05 SiproFix BK160 White

Flexible white adhesive for ceramic and granite tiles for indoor and outdoor use

1. Name and/or designation of the construction product type:

**SiproFix BK 160 White**

2. Type, batch or serial number or some other element that enables identification of the construction product:

**Stamped on the packaging.**

3. Intended use or uses of the construction product in accordance with the appropriate technical specification or technical regulation:

**Improved white cement adhesive with reduced slip and extended open time for exterior and interior use.**

4. Name and address of the manufacturer:

**Banja Komerc Bekament DOO,  
132 Kralja Petra Prvog Str.,  
34304 Banja, Arandelovac, Serbia**

5. Name and address of representative: /

6. System or systems of assessment and verification of the constancy of performance of the construction product (AVCP), determined by the appropriate technical specification or technical regulation:

**System 3**

7. Applied technical regulations:

**EN 12004:2017**

8. List of essential characteristics and performance of essential characteristics:  
**Classification according to EN 12004: C2TE**

Characteristics	Value	Specification
-----------------	-------	---------------

Adhesion after conditioning under normal conditions, N/mm <sup>2</sup>	≥ 1,0	EN 12004
Adhesion after conditioning in water, N/mm <sup>2</sup>	≥ 1,0	EN 12004
Adhesion after conditioning at elevated temperature, N/mm <sup>2</sup>	≥ 1,0	EN 12004
Adhesion after freeze/thaw cycles, N/mm <sup>2</sup>	≥ 1,0	EN 12004
Open time: adhesion under normal conditions, N/mm <sup>2</sup>	≥ 0,5 (after 30 min.)	EN 12004
Slipping, mm	≤ 0,5	EN 12004
Fire reaction	Class E	EN 13501-1

**9. The initial product type test was performed by the Technical and Test Institute for Construction, Prague, Czech Republic, NB: 1020, and a test report no. 1020-CPR-020-042615, 04.05.2020, was issued.**

**Product testing was conducted by the Institute for Materials Testing a.d. in Belgrade and the Test Report was issued under number VHM 1906/19, 10.03. 2020.**

The characteristics of the product are in accordance with the characteristics specified in point 8.

This performance declaration is published in accordance with the Law on Construction Products (Official Gazette of RS, No. 83 of 29 October 2018) and EU Regulation, CPR 305/2011 and is solely the responsibility of the manufacturer specified in point 4.

Vesna Jovanović, BSc in Technology Eng.  
Director of development and technical support

In Banja  
17.07.2023.

Signed

Round official seal: BANJA komerc BEKAMENT DOO V  
Banja Arandjelovac

