


**BK-GletEx Finish****SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier:** BK-GletEx Finish
- Other means of identification:**
- UFI:** 4EU5-20XK-D000-KA0M
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- Relevant uses: Levelling
- Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**
- Banja Komerc Bekament d.o.o.  
 EIprova 11  
 1000 Ljubljana - Slovenia - Slovenia  
 Phone: +381628010160  
 jelena.tomkovic@bekament.com  
 http://bekament.com
- 1.4 Emergency telephone number:** 911

**SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture:**
- This product contains less than 1% of crystalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) 1272/2008 of the European Parliament and of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, and amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.
- CLP Regulation (EC) No 1272/2008:**
- Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
- Eye Dam. 1: Serious eye damage, Category 1, H318
- 2.2 Label elements:**
- CLP Regulation (EC) No 1272/2008:**
- Danger**
- 
- Hazard statements:**
- H318 - Causes serious eye damage.
- Precautionary statements:**
- P101: If medical advice is needed, have product container or label at hand.  
 P102: Keep out of reach of children.  
 P280: Wear protective gloves/protective clothing/eye protection/protective footwear.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310: Immediately call a poison center/doctor.  
 P501: Dispose of contents/container according to the separated collection system used in your municipality.
- Substances that contribute to the classification**
- Calcium dihydroxide
- 2.3 Other hazards:**
- Product does not meet PBT/vPvB criteria  
 Endocrine-disrupting properties: The product does not meet the criteria.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

- 3.1 Substance:**  
Non-applicable
- 3.2 Mixture:**

- CONTINUED ON NEXT PAGE -


**BK-GletEx Finish**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)**

**Chemical description:** Mixture of additives, aggregates and lime

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification   | Chemical name/Classification   | Concentration              |
|--|--|----------------------------|
| CAS: 1305-62-0<br>EC: 215-137-3<br>Index: Non-applicable<br>REACH: 01-2119475151-45-XXXX | <b>Calcium dihydroxide<sup>(1)</sup></b> Self-classified<br><br>Regulation 1272/2008 Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger  | <b>2 - &lt;3 %</b>         |
| CAS: 7439-96-5<br>EC: 231-105-1<br>Index: Non-applicable<br>REACH: 01-2119449803-34-XXXX | <b>Manganese<sup>(2)</sup></b> Not classified<br><br>Regulation 1272/2008  | <b>0.0000006 - &lt;1 %</b> |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>(2)</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

- CONTINUED ON NEXT PAGE -

## BK-GletEx Finish

### SECTION 5: FIREFIGHTING MEASURES (continued)

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

##### For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

##### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

#### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 25 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

- CONTINUED ON NEXT PAGE -

**BK-GletEx Finish**

**SECTION 7: HANDLING AND STORAGE (continued)**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification                                      |  | Occupational exposure limits |  |                        |
|---|--|------------------------------|--|------------------------|
| Calcium dihydroxide<br>CAS: 1305-62-0 EC: 215-137-3 |  | IOELV (8h)                   |  | 1 mg/m <sup>3</sup>    |
|   |  | IOELV (STEL)                 |  | 4 mg/m <sup>3</sup>    |
| Manganese<br>CAS: 7439-96-5 EC: 231-105-1           |  | IOELV (8h)                   |  | 0,05 mg/m <sup>3</sup> |
|   |  | IOELV (STEL)                 |  |                        |

Nuisance dust: Inhalable dust 10 mg/m<sup>3</sup> // Respirable dust 4 mg/m<sup>3</sup>

**DNEL (Workers):**

| Identification   |            | Short exposure |                     | Long exposure         |                     |
|--|------------|----------------|---------------------|-----------------------|---------------------|
|  |            | Systemic       | Local               | Systemic              | Local               |
| Calcium dihydroxide<br>CAS: 1305-62-0<br>EC: 215-137-3 | Oral       | Non-applicable | Non-applicable      | Non-applicable        | Non-applicable      |
|  | Dermal     | Non-applicable | Non-applicable      | Non-applicable        | Non-applicable      |
|  | Inhalation | Non-applicable | 4 mg/m <sup>3</sup> | Non-applicable        | 1 mg/m <sup>3</sup> |
| Manganese<br>CAS: 7439-96-5<br>EC: 231-105-1           | Oral       | Non-applicable | Non-applicable      | Non-applicable        | Non-applicable      |
|  | Dermal     | Non-applicable | Non-applicable      | 0,004 mg/kg           | Non-applicable      |
|  | Inhalation | Non-applicable | Non-applicable      | 0,2 mg/m <sup>3</sup> | Non-applicable      |

**DNEL (General population):**

| Identification   |            | Short exposure |                     | Long exposure           |                         |
|--|------------|----------------|---------------------|-------------------------|-------------------------|
|  |            | Systemic       | Local               | Systemic                | Local                   |
| Calcium dihydroxide<br>CAS: 1305-62-0<br>EC: 215-137-3 | Oral       | Non-applicable | Non-applicable      | Non-applicable          | Non-applicable          |
|  | Dermal     | Non-applicable | Non-applicable      | Non-applicable          | Non-applicable          |
|  | Inhalation | Non-applicable | 4 mg/m <sup>3</sup> | Non-applicable          | 1 mg/m <sup>3</sup>     |
| Manganese<br>CAS: 7439-96-5<br>EC: 231-105-1           | Oral       | Non-applicable | Non-applicable      | Non-applicable          | Non-applicable          |
|  | Dermal     | Non-applicable | Non-applicable      | 0,002 mg/kg             | Non-applicable          |
|  | Inhalation | Non-applicable | Non-applicable      | 0,041 mg/m <sup>3</sup> | 0,041 mg/m <sup>3</sup> |

**PNEC:**

| Identification   |              | Short exposure |                         | Long exposure |                |
|--|--------------|----------------|-------------------------|---------------|----------------|
|  |              | Systemic       | Local                   | Systemic      | Local          |
| Calcium dihydroxide<br>CAS: 1305-62-0<br>EC: 215-137-3 | STP          | 3 mg/L         | Fresh water             |               | 0,49 mg/L      |
|  | Soil         | 1080 mg/kg     | Marine water            |               | 0,32 mg/L      |
|  | Intermittent | 0,49 mg/L      | Sediment (Fresh water)  |               | Non-applicable |
|  | Oral         | Non-applicable | Sediment (Marine water) |               | Non-applicable |
| Manganese<br>CAS: 7439-96-5<br>EC: 231-105-1           | STP          | 100 mg/L       | Fresh water             |               | 0,034 mg/L     |
|  | Soil         | 3,4 mg/kg      | Marine water            |               | 0,003 mg/L     |
|  | Intermittent | 0,028 mg/L     | Sediment (Fresh water)  |               | 3,3 mg/kg      |
|  | Oral         | Non-applicable | Sediment (Marine water) |               | 0,34 mg/kg     |

**8.2 Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.



B.- Respiratory protection

**BK-GletEx Finish**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

**C.- Specific protection for the hands**

| Pictogram  | PPE                                   | Labelling   | CEN Standard | Remarks  |
|--|---------------------------------------|---|--------------|--|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



**D.- Eye and face protection**

| Pictogram  | PPE   | Labelling   | CEN Standard                    | Remarks   |
|--|---|---|---------------------------------|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

**E.- Body protection**

| Pictogram | PPE                  | Labelling   | CEN Standard      | Remarks   |
|-----------|----------------------|---|-------------------|---|
|           | Work clothing        |   |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

**F.- Additional emergency measures**

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |                             |
|---------------------------|-----------------------------|
| V.O.C. (Supply):          | 0 % weight                  |
| V.O.C. density at 20 °C:  | 0 kg/m <sup>3</sup> (0 g/L) |
| Average carbon number:    | Non-applicable              |
| Average molecular weight: | Non-applicable              |

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

|                          |               |
|--------------------------|---------------|
| Physical state at 20 °C: | Solid         |
| Appearance:              | Not available |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## BK-GletEx Finish

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

|  |                                |
|--|--------------------------------|
| Colour:                                      | <input type="checkbox"/> White |
| Odour:                                       | Not available                  |
| Odour threshold:                             | Non-applicable *               |
| <b>Volatility:</b>                           |                                |
| Boiling point at atmospheric pressure:       | Non-applicable *               |
| Vapour pressure at 20 °C:                    | Non-applicable *               |
| Vapour pressure at 50 °C:                    | Non-applicable *               |
| Evaporation rate at 20 °C:                   | Non-applicable *               |
| <b>Product description:</b>                  |                                |
| Density at 20 °C:                            | 2683 kg/m <sup>3</sup>         |
| Relative density at 20 °C:                   | 2,683                          |
| Dynamic viscosity at 20 °C:                  | Non-applicable *               |
| Kinematic viscosity at 20 °C:                | Non-applicable *               |
| Kinematic viscosity at 40 °C:                | Non-applicable *               |
| Concentration:                               | Non-applicable *               |
| pH:  | 11 - 13                        |
| Vapour density at 20 °C:                     | Non-applicable *               |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable *               |
| Solubility in water at 20 °C:                | Non-applicable *               |
| Solubility properties:                       | Non-applicable *               |
| Decomposition temperature:                   | Non-applicable *               |
| Melting point/freezing point:                | Non-applicable *               |
| <b>Flammability:</b>                         |                                |
| Flash Point:                                 | Non-applicable                 |
| Flammability (solid, gas):                   | Non-applicable *               |
| Autoignition temperature:                    | Non-applicable *               |
| Lower flammability limit:                    | Non-applicable *               |
| Upper flammability limit:                    | Non-applicable *               |
| <b>Explosive (Solid):</b>                    |                                |
| Lower explosive limit:                       | Non-applicable *               |
| Upper explosive limit:                       | Non-applicable *               |
| <b>Particle characteristics:</b>             |                                |
| Median equivalent diameter:                  | Non-applicable *               |

#### 9.2 Other information:

##### Information with regard to physical hazard classes:

|  |                  |
|--|------------------|
| Explosive properties:  | Non-applicable * |
| Oxidising properties:  | Non-applicable * |
| Corrosive to metals:   | Non-applicable * |
| Heat of combustion:  | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

##### Other safety characteristics:

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**BK-GletEx Finish**

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

**10.5 Incompatible materials:**

| Acids              | Water          | Oxidising materials | Combustible materials | Others         |
|--------------------|----------------|---------------------|-----------------------|----------------|
| Avoid strong acids | Not applicable | Not applicable      | Not applicable        | Not applicable |

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- CONTINUED ON NEXT PAGE -

**BK-GletEx Finish**

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

**F- Specific target organ toxicity (STOT) - single exposure:**

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

| Identification      | Acute toxicity |                | Genus |
|---------------------|----------------|----------------|-------|
|                     | LD50 oral      | LD50 dermal    |       |
| Calcium dihydroxide | 7340 mg/kg     | Non-applicable | Rat   |
| CAS: 1305-62-0      | Non-applicable | Non-applicable |       |
| EC: 215-137-3       | Non-applicable | Non-applicable |       |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

**Other information**

Non-applicable

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**12.1 Toxicity:**

**Acute toxicity:**

| Identification      | Concentration    |                    | Species                         | Genus      |
|---------------------|------------------|--------------------|---------------------------------|------------|
|                     | LC50             | EC50               |                                 |            |
| Calcium dihydroxide | 50,6 mg/L (96 h) | 49,1 mg/L (48 h)   | Oncorhynchus mykiss             | Fish       |
| CAS: 1305-62-0      | Non-applicable   | 184,57 mg/L (72 h) | Daphnia magna                   | Crustacean |
| EC: 215-137-3       | Non-applicable   | Non-applicable     | Pseudokirchneriella subcapitata | Algae      |

**Chronic toxicity:**

| Identification               | Concentration  |                | Species               | Genus      |
|------------------------------|----------------|----------------|-----------------------|------------|
|                              | NOEC           | NOEC           |                       |            |
| Calcium dihydroxide          | Non-applicable | Non-applicable |                       |            |
| CAS: 1305-62-0 EC: 215-137-3 | Non-applicable | 32 mg/L        | Crangon septemspinosa | Crustacean |

**12.2 Persistence and degradability:**

Not available

**12.3 Bioaccumulative potential:**

Not available

**12.4 Mobility in soil:**

Not available

**12.5 Results of PBT and vPvB assessment:**

Product does not meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

- CONTINUED ON NEXT PAGE -



**BK-GletEx Finish****SECTION 12: ECOLOGICAL INFORMATION (continued)**

Endocrine-disrupting properties: The product does not meet the criteria.

**12.7 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods:**

| Code | Description   | Waste class (Regulation (EU) No 1357/2014) |
|------|---|--|
|      | It is not possible to assign a specific code, as it depends on the intended use by the user | Non-hazardous                              |

**Type of waste (Regulation (EU) No 1357/2014):**

Non-applicable

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Calcium dihydroxide (Product-type 2, 3)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

**Seveso III:**

Non-applicable

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

- CONTINUED ON NEXT PAGE -

## BK-GletEx Finish

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

#### Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation.

#### Classification procedure:

Eye Dam. 1: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -