This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific BEKAMENT

legislation

# RZ-BLP-084 - BK-Podloga 1:3

SECT	TION 1: IDENTIFI	ICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifie	er: RZ-BLP-084 - BK-Podloga 1:3
		Not a hazardous substance
	CAS:	Non-applicable
	EC:	Non-applicable
	Index:	Non-applicable
	REACH:	Non-applicable
	Other means of	identification:
	Non-applicable	
1.2	Relevant identif	ied uses of the substance or mixture and uses advised against:
	Relevant uses: Prir	ners
	Uses advised agair	nst: All uses not specified in this section or in section 7.3
1.3	Details of the su	pplier of the safety data sheet:
	Banja Komerc Beka EIpprova 11 1000 Ljubljana - S Phone: +3816280 jelena.tomkovic@b http://bekament.co	lovenia - Slovenia 10160 pekament.com om
1.4	Emergency telep	phone number: 911
SECT	TION 2: HAZARDS	S IDENTIFICATION
2.1	<b>Classification of</b>	the substance or mixture:
	CLP Regulation	(EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

#### 2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

### **Precautionary statements:**

Non-applicable

#### Supplementary information:

EUH208: Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3-one (3:1). May produce an allergic reaction.

#### 2.3 **Other hazards:**

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

#### 3.1 Substance:

Chemical description: Aqueous dispersion of acrylic copolymer

## **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

\*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific BEKAMENT

legislation

# RZ-BLP-084 - BK-Podloga 1:3

ION 3: COMPOSITIO	N/INFORMATION ON INGREDIENTS ** (continued)	
Identification	Chemical name/Classification	Concentrat
CAS: Non-applicable	Not a hazardous substance <sup>(1)</sup> Not class	sified
EC: Non-applicable Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	20 - <100
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one <sup>(2)</sup> ATP CLF	00
EC: 220-120-9 Index: 613-088-00-6 REACH: 01-2120761540-60- XXXX	Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	0.000000 <1 %
CAS: 55965-84-9 EC: Non-applicable	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- ATP ATF 3-one (3:1) <sup>(2)</sup>	213
Index: 613-167-00-5 REACH: Non-applicable	Regulation 1272/2008 Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	0.000000 <1 %

(1) Main component

(2) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

	Identification		M-factor
Reaction mass of 5-ch	nloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Acute	100
CAS: 55965-84-9	EC: Non-applicable	Chronic	100
-			

Identification	Specific concentration limit
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0.05: Skin Sens. 1 - H317
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0.6: Skin Corr. 1C - H314 0.06<= % (w/w) <0.6: Skin Irrit. 2 - H315 % (w/w) >=0.6: Eye Dam. 1 - H318 0.06<= % (w/w) <0.6: Eye Irrit. 2 - H319 % (w/w) >=0.0015: Skin Sens. 1A - H317

#### 3.2 Mixture:

Non-applicable

\*\* Changes with regards to the previous version

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

# By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.


### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### Most important symptoms and effects, both acute and delayed: 4.2

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# RZ-BLP-084 - BK-Podloga 1:3

# SECTION 4: FIRST AID MEASURES (continued)

Non-applicable

BEKAMENT

# SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

# Unsuitable extinguishing media:

Non-applicable

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

# 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

## **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

## 6.3 Methods and material for containment and cleaning up:

### It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

\_ This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# RZ-BLP-084 - BK-Podloga 1:3

# SECTION 7: HANDLING AND STORAGE (continued)

## C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

A Technical measures fo	r storage
Minimum Temp.:	5 °C
Maximum Temp.:	25 °C
Maximum time:	12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

BEKAMENT

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

### DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,966 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6,81 mg/m³	Non-applicable

## DNEL (General population):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m <sup>3</sup>	Non-applicable

#### PNEC:

Identification				
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00499 mg/kg

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation BEKAMENT

# RZ-BLP-084 - BK-Podloga 1:3

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend usin CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018
D Eye and face pro	tection			
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E Body protection				
Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. Fc periods of prolonged exposure to the product fo professional/industrial users CE III is recommended, in accordance with the regulatior in EN ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 20345:2012 y EN 13832-1:2007
It is not necessal <b>Environmental ex</b> In accordance with t spillage of both the	he community legislation product and its container.	for the protection	on of the environment it	is recommended to avoid environmental on 7.1.D
It is not necessar Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon of Average molecul With regard to Direc V.O.C. density at EU limit for the p Components:	ry to take additional emer <b>posure controls:</b> the community legislation product and its container. <b>pmpounds:</b> tive 2010/75/EU, this prod 0 % v 20 °C: Non-a ar weight: Non-a tive 2004/42/EC, this prod 20 °C: 6,8 kg roduct (Cat. A.G): 30 g/L Non-a	for the protection For additional in duct has the followeight applicable applicable duct which is read g/m <sup>3</sup> (6,8 g/L) (2010) applicable	on of the environment it nformation see subsectio lowing characteristics:	n 7.1.D
It is not necessar Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon of Average molecul With regard to Direc V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL	ry to take additional emer <b>posure controls:</b> the community legislation product and its container. <b>pmpounds:</b> tive 2010/75/EU, this prod 0 % v 20 °C: Non-a ar weight: Non-a ar weight: Non-a tive 2004/42/EC, this prod 20 °C: 6,8 kg roduct (Cat. A.G): 30 g/L Non-a AND CHEMICAL PROF	for the protection For additional in duct has the followeight applicable applicable duct which is re- g/m <sup>3</sup> (6,8 g/L) (2010) applicable	on of the environment it nformation see subsection lowing characteristics: ady to use has the follow	n 7.1.D
It is not necessar Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon of Average molecul With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL Information on ba	ry to take additional emer <b>posure controls:</b> the community legislation product and its container. <b>pmpounds:</b> tive 2010/75/EU, this prod 0 % v 20 °C: Non-a ar weight: Non-a tive 2004/42/EC, this prod 20 °C: 6,8 kg roduct (Cat. A.G): 30 g/L Non-a	for the protectic For additional in duct has the foll weight applicable applicable duct which is re- g/m <sup>3</sup> (6,8 g/L) - (2010) applicable PERTIES	on of the environment it nformation see subsection lowing characteristics: ady to use has the follow	n 7.1.D
It is not necessar Environmental exp In accordance with the spillage of both the p Volatile organic co With regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon of Average molecul With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL Information on ba	y to take additional emer <b>posure controls:</b> the community legislation product and its container. <b>prounds:</b> tive 2010/75/EU, this prod 0 % v 20 °C: Non-a number: Non-a ar weight: Non-a tive 2004/42/EC, this prod 20 °C: 6,8 kg roduct (Cat. A.G): 30 g/L Non-a <b>AND CHEMICAL PROP</b> <b>sic physical and chemi</b>	for the protectic For additional in duct has the foll weight applicable applicable duct which is re- g/m <sup>3</sup> (6,8 g/L) - (2010) applicable PERTIES	on of the environment it nformation see subsection lowing characteristics: ady to use has the follow	n 7.1.D
It is not necessar Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon of Average molecul With regard to Direc V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL Information on ba For complete inform	y to take additional emer <b>posure controls:</b> the community legislation product and its container. <b>pmpounds:</b> tive 2010/75/EU, this prod 0 % v 20 °C: Non-a ar weight: Non-a ar weight: Non-a tive 2004/42/EC, this prod 20 °C: 6,8 kg roduct (Cat. A.G): 30 g/L Non-a <b>AND CHEMICAL PROF</b> <b>sic physical and chemi</b> ation see the product data	for the protectic For additional in duct has the foll weight applicable applicable duct which is re- g/m <sup>3</sup> (6,8 g/L) - (2010) applicable PERTIES	on of the environment it nformation see subsection lowing characteristics: ady to use has the follow	n 7.1.D
It is not necessar Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon of Average molecul With regard to Direc V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL Information on ba For complete informa	y to take additional emer <b>posure controls:</b> the community legislation product and its container. <b>pmpounds:</b> tive 2010/75/EU, this prod 0 % v 20 °C: Non-a ar weight: Non-a ar weight: Non-a tive 2004/42/EC, this prod 20 °C: 6,8 kg roduct (Cat. A.G): 30 g/L Non-a <b>AND CHEMICAL PROF</b> <b>sic physical and chemi</b> ation see the product data	for the protectic For additional in duct has the foll weight applicable applicable duct which is re- g/m <sup>3</sup> (6,8 g/L) - (2010) applicable PERTIES cal properties asheet.	on of the environment it nformation see subsection lowing characteristics: ady to use has the follow	n 7.1.D
It is not necessar Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon of Average molecul With regard to Direc V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL Information on ba For complete information Appearance: Physical state at 20 0	y to take additional emer <b>posure controls:</b> the community legislation product and its container. <b>pmpounds:</b> tive 2010/75/EU, this prod 0 % v 20 °C: Non-a ar weight: Non-a ar weight: Non-a tive 2004/42/EC, this prod 20 °C: 6,8 kg roduct (Cat. A.G): 30 g/L Non-a <b>AND CHEMICAL PROF</b> <b>sic physical and chemi</b> ation see the product data	for the protection For additional in duct has the followeight applicable applicable duct which is re- g/m <sup>3</sup> (6,8 g/L) - (2010) applicable <b>CERTIES</b> <b>Cal properties</b> asheet.	on of the environment it nformation see subsectio lowing characteristics: ady to use has the follow	n 7.1.D
It is not necessar Environmental exp In accordance with t spillage of both the p Volatile organic co With regard to Direc V.O.C. (Supply): V.O.C. density at Average carbon of Average molecul With regard to Direc V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL Information on ba For complete information Appearance: Physical state at 20 of Appearance:	y to take additional emer <b>posure controls:</b> the community legislation product and its container. <b>pmpounds:</b> tive 2010/75/EU, this prod 0 % v 20 °C: Non-a ar weight: Non-a ar weight: Non-a tive 2004/42/EC, this prod 20 °C: 6,8 kg roduct (Cat. A.G): 30 g/L Non-a <b>AND CHEMICAL PROF</b> <b>sic physical and chemi</b> ation see the product data	for the protection For additional in duct has the followeight applicable applicable duct which is re g/m <sup>3</sup> (6,8 g/L) (2010) applicable <b>PERTIES</b> <b>Scal properties</b> asheet.	on of the environment it nformation see subsectio lowing characteristics: ady to use has the follow	n 7.1.D

Date of compilation: 01/09/2017 Revised: 26/01/2024 Version: 3 (Replaced 2) BEKAMENT

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# RZ-BLP-084 - BK-Podloga 1:3

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	Non-applicable *
	Vapour pressure at 20 °C:	Non-applicable *
	Vapour pressure at 50 °C:	<300000 Pa (300 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1100,1 kg/m³
	Relative density at 20 °C:	1,1
	Dynamic viscosity at 20 °C:	800 cP
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	7
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	
		···· · · · · · · · · · · · · · · · · ·

# SECTION 10: STABILITY AND REACTIVITY


# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

Version: 3 (Replaced 2)

## 10.2 Chemical stability:

Revised: 26/01/2024



\_ This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# RZ-BLP-084 - BK-Podloga 1:3

# SECTION 10: STABILITY AND REACTIVITY (continued)

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

## **10.4** Conditions to avoid:

10.5

BEKAMENT

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Incompatible materials	:			

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION \*\*

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
    - IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

\*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific EKAMENT

legislation

# RZ-BLP-084 - BK-Podloga 1:3

# SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

### Specific toxicology information on the substances:

Identification	Αςι	ite toxicity	Genus
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat
CAS: 2634-33-5	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit
EC: Non-applicable	LC50 inhalation	0,33 mg/L (4 h)	Rat

# 11.2 Information on other hazards:

## **Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

### **Other information**

Non-applicable

\*\* Changes with regards to the previous version

# SECTION 12: ECOLOGICAL INFORMATION \*\*

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

# 12.1 Toxicity:

## Acute toxicity:

Identification		Concentration	Species	Genus
1,2-benzisothiazol-3(2H)-one	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 2634-33-5	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 220-120-9	EC50	>0.1 - 1 mg/L (72 h)		Algae
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: Non-applicable	EC50	>0.1 - 1 mg/L (72 h)		Algae

# 12.2 Persistence and degradability:

# Substance-specific information:

Identification	De	gradability	Biodegradability	
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 2634-33-5	COD	Non-applicable	Period	28 days
EC: 220-120-9	BOD5/COD	Non-applicable	% Biodegradable	0 %
Bioaccumulative potential:				

# \*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific BEKAMENT

legislation

# RZ-BLP-084 - BK-Podloga 1:3

	Identification	В	oaccumulation potential		
	1,2-benzisothiazol-3(2H)-one	BCF	2		
	CAS: 2634-33-5	Pow Log	1.45		
	EC: 220-120-9	Potential	Low		
2.4	Mobility in soil:				
	Not available				
12.5	Results of PBT and vPvB assessment:				
	Product does not meet PBT/vPvB criteria				
L2.6	Endocrine disrupting properties:				
	Endocrine-disrupting properties: The product does not meet the criteria.				
2.7	Other adverse effects:				
	Not described				

\*\* Changes with regards to the previous version

# SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
04 02 99	wastes not otherwise specified	Non-hazardous

## Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION \*\*

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2,2dibromo-2-cyanoacetamide.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13); Reaction mass of 5chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13) REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

\*\* Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# RZ-BLP-084 - BK-Podloga 1:3

# SECTION 15: REGULATORY INFORMATION \*\* (continued)

### Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

# Other legislation:

The product could be affected by sectorial legislation

## 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

\*\* Changes with regards to the previous version

# SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- · New declared substances
  - 1,2-benzisothiazol-3(2H)-one (2634-33-5)
- Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) • Removed substances
- Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):
  - Substances contained in EUH208:
  - · New declared substances

1,2-benzisothiazol-3(2H)-one (2634-33-5)

- Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)
- Removed substances

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) REGULATORY INFORMATION (SECTION 15):

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....)

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

# Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

### http://echa.europa.eu

http://eur-lex.europa.eu

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific BEKAMENT

legislation

# RZ-BLP-084 - BK-Podloga 1:3

Ab	breviations and acronyms:
ADI	R: European agreement concerning the international carriage of dangerous goods by road
IME	DG: International maritime dangerous goods code
IAT	A: International Air Transport Association
	AC: International Civil Aviation Organisation
COI	D: Chemical Oxygen Demand
BOI	D5: 5day biochemical oxygen demand
BCF	F: Bioconcentration factor
LD5	50: Lethal Dose 50
LC5	50: Lethal Concentration 50
EC5	50: Effective concentration 50
Log	POW: Octanolwater partition coefficient
Koc	: Partition coefficient of organic carbon
UFI	I: unique formula identifier
IAR	RC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.