

TECHNICAL DATA SHEET	Edition: 1	Version: 3
BK-Classic	RZ-TLP-121	Date: 09.08.2023.

1. PRODUCT AND COMPANY INFORMATION

Product commercial name: BK-Classic

Distributor:

Banja Komerc Bekament DOO
Kralja Petra Prvog 132
Arandelovac
tel. 034-6777-500
fax. 034-6777-505
e-mail: komercijala@bekament.com

TDS contact: email: laboratorija@bekament.com

2. DESCRIPTION, FIELD OF APPLICATION

BK-Classic is an thinner for alkyd based products used for thinning alkyd based paints and varnishes, as well as washing tools/equipment.

3. COMPOSITION

Chemical composition: Aromatic and aliphatic hydrocarbons

Hazardous substances: In accordance with the (EC) Regulation No. 1272/2008 on classification, labelling and packaging of substances and mixtures, through which the CLP/GHS classification and labeling system was introduced into law, this product is classified as a hazardous product with the following label: Hazard.

4. TECHNICAL CHARACTERISTICS

Density(SRPS EN ISO 2811-1)	0.755-0.79 g/cm ³
Packaging ,l	0.5; 0.9

5. OTHER CHARACTERISTICS

Shape	Liquid
Color	Transparent
Odor	Smell of oil

6. HANDLING AND STORAGE

Shelf life is unlimited if stored away from direct sunlight in original packaging.

7. PERSONAL PROTECTION

Respiratory tract protection: Not needed when the rooms are well aerated

Hands and body protection: Preventative use of protective gloves and work overalls.

Eye protection: Safety goggles as a preventative measure

8. REGULATION INFORMATION

In accordance with the (EC) Regulation No. 1272/2008 on classification, labelling and packaging of substances and mixtures, through which the CLP/GHS classification and labeling system was introduced into law, this product is classified as a hazardous product with the following label: Hazard.



Hazard

Flammable liquids, Category 3 H226

Aspiration hazard, Category 1 H304

Specific target organ toxicity-JI, Category 3 H336

Specific target organ toxicity-VI, Category 1 H372

Hazard information

H226: Flammable liquid and vapor

H304: May be fatal if swallowed and enters airways.

H336: May induce drowsiness and dizziness.

H372: Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P370+P378 In case of fire: use dry chemical powder, carbon dioxide, sand, or soil.

P403 Store in a well-ventilated place

P501 Storage of the contents/ packaging in accordance with national regulations.

EUH066-Subsequent exposure might cause the skin to become dry or crack.

Contains: Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aromatic (2-25%)

9. ECOTOXICOLOGICAL INFORMATION

No known negative health side-effects are known when the product is used properly. The product cannot reach waterways or sewage.

TECHNICAL DATA SHEET	Edition: 1	Version: 3
BK-Classic	RZ-TLP-121	Date: 09.08.2023.

10. STORAGE

In accordance with local/regional/European/national regulations.

11. NOTE

Banja Komerc Bekament DOO performs product quality checks using its own laboratories. It also regularly tests its products in certified laboratories. The Data Sheet is the product of our knowledge and previous practical experience. The purpose of the Data Sheet is to serve as a recommendation in order to achieve the best possible results. If weather and other conditions are different than those described in our instructions, our instructions need to be taken as general guidelines, without an installation warranty.

Banja Komerc Bekament DOO assumes no liability for damages resulting from the improper use or incorrect product selection, as well as for poorly executed work. It is assumed that the contractor has mastered the techniques of installing and use of various products.

Matters written herein bind us in no way.

This document replaces all previous versions. All previous versions, starting with the listed date the document was compiled, are void.

Date: 09.08.2023.

Previous versions: 1.2 - 23.12.2021.

Changed chapters: 1.