

1. IDENTIFICATION OF THE PRODUCT AND THE COMPANY

Trade name of the product: BK-PU Cleaner

Information about the manufacturer:

Banja Komerc Bekament DOO
Kralja Petra Prvog 132
Arandelovac
tel. 034-6777-500
fax. 034-6777-505
e-mail: komercijala@bekament.com

Contact for the making of the TDS: e-mail: laboratorija@bekament.com

2. DESCRIPTION AND AREA OF APPLICATION

BK-PU Cleaner is a highly active agent intended for cleaning of guns from polyurethane foam (PU-foam) and for removing the remains of a fresh PU-foam. Avoid contact with EPS and XPS panels since they have corrosive effect on them.

Advantages:

- Strong cleaner
- Simple for application
- Fast-drying.

3. COMPOSITION

Chemical composition: Acetone based.

Hazardous ingredients: In accordance with Regulation (EC) No. 1272/2008 on classification, packaging and labeling of hazardous substances and mixtures, by which the CLP/GHS classification and labeling system is introduced into the legislation, it contains acetone, so this product is classified as hazardous, with the label: Danger.

4. TECHNICAL SPECIFICATIONS

Appearance	Aerosol
Odor	Like acetone
Temperatura primene, °C	10 - 35

Gustina, g/cm ³	0,781
Package, ml	500

5. OTHER CHARACTERISTICS

Colour: colourless

6. INSTRUCTIONS FOR USE

Place the spray nozzle, spray the gun adapter until the remains of the foam are removed. Remove the spray nozzle, and then screw the dose of the cleaner to the gun adapter. Squeeze the trigger of the gun until clean liquid comes out. For larger soiling, allow the product to act for a few minutes. Spray over the fresh remains of PU-foam directly and intensely. Remove the dissolved PU-foam with a cloth. Cured PU-foam cannot be removed with the BK-PU Cleaner, even after a prolonged affect of the agent.

7. HANDLING AND STORAGE

With correct application, there are not any special precautions necessary for handling. Keep out of the reach of children.

Store at temperatures of +5°C to +25°C, protected from direct sunlight and frost. Expiration date is indicated on the package.

8. PERSONAL PROTECTION

Protection of hands and body: Use protective gloves

Protection of airways: Not necessary in well-ventilated rooms.

Eye protection: Preventive use of safety goggles.

Do not smoke!

9. INFORMATION ON REGULATIONS

In accordance with Regulation (EC) No. 1272/2008 on classification, packaging and labeling of hazardous substances and mixtures, by which the CLP/GHS classification and labeling system is introduced into the legislation, it contains acetone, so this product is classified as hazardous, with the label: Danger.



Danger

Flammable aerosols, Category 1: H222

Pressurized container: H229

Eye irritation, category 2 H319

Specific toxicity for a target organ-JI, category 3: H336

H-phrases:

H222 Extremely flammable aerosol

H229 Pressurized container: may burst if heated

H319 Causes serious eye irritation H336

H336 May cause drowsiness or dizziness

P-phrases:

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking.

P211 Do not spray on open flame or other ignition source.

P251 Pressurized containers: Do not puncture, pierce or incinerate, even when they are empty.

P261 Avoid breathing smoke, gas, mist, vapor, spray.

P280 Wear protective gloves, protective clothing, safety goggles, face protection.

P305+P351+P338 IF IT GETS INTO EYES: Gently rinse with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

P501 Dispose of contents, packaging in accordance with the Law on Packaging and Packaging Waste ("Official Gazette of RS" no. 36/09)

EUH066 Repeated exposure may cause skin dryness or cracking.

10. ECOTOXICOLOGICAL INFORMATION

Based on experiences and existing information, when used properly, negative effects on health are not known.

11. DISPOSAL METHOD

In accordance with the local/regional/European/national regulations.

12. NOTE

Banja Komerc Bekament DOO performs control of the products through their own laboratory as well as routine testing in certified laboratories. The technical data sheet is a product of our knowledge and practical experience so far, and should serve to all users as a recommendation for achieving the best results. If the weather and other conditions

are different from those in our instructions, it is necessary to take our instructions as general guidelines, without warranty for installation.

Bekament Banja Komerc DOO is not liable for damages resulting from improper use or incorrect product selection, as well as for poorly executed works. It is assumed that the contractor mastered the techniques of installation and use of various products. The written instructions are not in any way binding for us.

This document replaces all previous versions, which as of the above date of making of this one are considered invalid.

Date of making: 23.12.2021.

Previous version: Issue 1.4 – 07.03.2018.

Changed chapters: 1, 9.