

1. PRODUCT AND COMPANY INFORMATION

Product commercial name: BK-RX

Distributor:

Banja Komerc Bekament DOO
Kralja Petra Prvog 132
Arandelovac
tel. 034-6777-500
fax. 034-6777-505
e-mail: komercijala@bekament.com

TDS contact: email: laboratorija@bekament.com

2. DESCRIPTION, FIELD OF APPLICATION

The thinner is intended to dilute the BK-Metal 3in1 and BK-Metalux 3in1 products.

3. COMPOSITION

Chemical composition: Aromatic and aliphatic hydrocarbons

Hazardous substances: In accordance with the (EC) Regulation No. 1272/2008 on classification, labelling and packaging of substances and mixtures, through which the CLP/GHS classification and labeling system was introduced into law, this product is classified as a hazardous product with the following label: Hazard.

4. TECHNICAL CHARACTERISTICS

Density(SRPS EN ISO 2811-1)	0.87 g/cm ³
Packaging	0.5l

5. OTHER CHARACTERISTICS

Shape	Liquid
Odor	Thinner-like

6. HANDLING AND STORAGE

Use skin and eye protective gear. Keep the product away from heat sources and ignition sources. Do not use tools that produce sparks. Drinking, eating, and smoking while handling the chemical is forbidden. When the product is handled in closed spaces, efficient local ventilation must be secured.

The product must be stored in its original packaging at a temperature between +5°C and +25°C, away from heat sources and direct sunlight.

RZ-TLP-114

Banja Komerc Bekament d.o.o., Banja / 34304 Arandelovac | www.bekament.com

Shelf life: 36 months

7. PERSONAL PROTECTION

Respiratory tract protection: Not needed when the rooms are well aerated

Hands and body protection: Preventative use of protective gloves and work overalls

Eye protection: Safety goggles as a preventative measure

8. REGULATION INFORMATION

In accordance with the (EC) Regulation No. 1272/2008 on classification, labelling and packaging of substances and mixtures, through which the CLP/GHS classification and labeling system was introduced into law, this product is classified as a hazardous product with the following label: Hazard.



Hazard

Flammable liquids, Category 3 H226

Acute toxicity, category 4, H312+H332

Skin irritation, Category 2 H315

Eye irritation, category 2, H319

Specific target organ toxicity - JI, category 3 (irritation of respiratory organs), H335

Hazard information

H226: Flammable liquid and vapor

H312+H332 Harmful in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes severe eye irritation

H335 May cause respiratory irritation

Precautionary statements

P101 If medical advice is needed, take the product packaging or label with you.

P102 Keep out of reach of children

P210 Keep away from heat source/ sparks/ open flame/ hot surfaces. - No smoking

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse carefully with water for several minutes. Remove contact lenses, if present and if possible. Continue rinsing.

P370+P378 In case of fire: Use an ABC fire extinguisher.

TECHNICAL DATA SHEET	Issue: 1	Version: 0
BK-RX	RZ-TLP-114	Date: 30.05.2023.

P501 Storage of the contents/ packaging in accordance with national regulations
Contains: It contains the reaction mass of ethylbenzene and m-xylene and p-xylene; aromatic hydrocarbons, C9-12, benzene dist.

9. ECOTOXICOLOGICAL INFORMATION

No known negative health side-effects are known when the product is used properly. The product cannot reach waterways or sewage.

10. STORAGE

In accordance with local/regional/European/national regulations.

11. NOTE

Banja Komerc Bekament DOO performs product quality checks using its own laboratories. It also regularly tests its products in certified laboratories. The Data Sheet is the product of our knowledge and previous practical experience. The purpose of the Data Sheet is to serve as a recommendation in order to achieve the best possible results. If weather and other conditions are different than those described in our instructions, our instructions need to be taken as general guidelines, without an installation warranty.

Banja Komerc Bekament DOO assumes no liability for damages resulting from the improper use or incorrect product selection, as well as for poorly executed work. It is assumed that the contractor has mastered the techniques of installing and use of various products.

Matters written herein bind us in no way.

This document replaces all previous versions. All previous versions, starting with the listed date the document was compiled, are void.

This document replaces all previous versions. All previous versions, starting with the listed date the document was compiled, are void.

Date: 30.05.2023.

Previous versions: /

Changed chapters: /